

Director of Purchasing and Contract Administration

6544 Firehouse Road, Milton, Florida 32570-3411

Phone: 850/983-5130 Facsimile: 850/983-5133

E-mail: cranej@santarosa.k12.fl.us

Website: www.santarosa.k12.fl.us/ purchasing

June 22, 2017

Tim Wyrosdick Superintendent of Schools 5086 Canal Street Milton, Florida 32570-6707

Dear Mr. Wyrosdick,

The best value for RFB 17-06A Food Service Freezer Truck was submitted by Pro Maintenance Inc (dba Messina Truck Center) as the top company to be awarded. Approval is recommended.

The RFB 17-06A documents and information can be reviewed at this link:

RFB Documents

Sincerely,

Judson C. Crane

JCC/ft

Att:2

Failure to file a protest within the time prescribed in section 120.57(3), Florida Statutes, or failure to post the bond or other security required by law within the time allowed for filing a bond shall constitute a waiver of proceedings under chapter 120, Florida Statutes.

		Due Maintenance Inc. dhe
	Ward International Trucks	Pro Maintenance Inc; dba Messina Truck Center
	5885 North W St	4306 E Columbus Dr
	Pensacola, FL 32505	Tampa, FL 33605
	850-474-9301	813-623-1113
	030 474 3301	013 023 1113
CAB AND CHASSIS SPECIFICATIONS	Izuzu NRR	Mitsubishi Fuso FE180
Cab - forward design	Υ	Υ
Color: white	Υ	Υ
New, never titled 2016, 2017 or 2018 model	2018	2018
GVWR: 19,500 lbs	Υ	N
Wheel Base: 148.0"	Υ	Υ
Cab to Axle: 117.7"	Υ	Υ
Engine: 200 HP Turbo-charged diesel	Υ	N
Transmission: Automatic transmission	Υ	Υ
Brakes: Air over Hydraulics with ABS system	Υ	Υ
Front Axle: 8,800 lb. With 7,060 lb. suspension	N	N
Rear Axle: 14,330 lb. With 13,680 lb suspension	Υ	N
Exhaust: Single horizontal	Υ	
Battery: Twin Delco with 750 CCA each	Υ	Υ
Tires: 225/70R19.5 12 ply with spare	Υ	Υ
Wheels: 19.5 x 6 6-hole disc. With spare	Υ	Υ
Seats: 2 hi-back seats with center seat	Υ	Υ
Fuel Tank: 42 gallon minimum	N	Υ
Air-Conditioning	Υ	Υ
AM/FM radio	Υ	
Stainless exterior West Coast mirrors with 8" convex	Υ	Y
BODY SPECIFICATIONS (Insulated Freezer Box)		
Insulated aluminum van body	Υ	Υ
Size: 16' L x 90" H 96" W	Υ	Υ
Insulated Tri-fold or roll-up rear door	Υ	Υ
4" Urethane insulation - sides, front, rear, roof and floor	Υ	Υ
Kernlite interior lining	Υ	
2,000 lb rail lift-gate	Y, Tommy Gate 89-20TP42	Y, Tommy Gate 89-20A
.040 pre-painted white aluminum sides with rivets 2" on centers	Υ	Υ
1" anti-sag roof bows on 24" centers		
.040 seamless roof skin riveted around perimeter		
16 GA galvanized Z post on 16" centers		
Clearance lights (sealed units)	Υ	Υ
Extruded aluminum floor	Υ	Υ
4 drains with pinch tubes (1 ea. corner)	Υ	
3" I-beam cross members on 12" centers (corrosion protected)	Υ	Υ
4" Longitudinal channels	Υ	Υ
Reinforced front for refrigeration unit		Υ
Body color to be white to match truck	Υ	Υ
REFRIGERATION UNIT	Thermo King T-1080R-50	Carrier Supra 960
Must maintain - 20 degree Fahrenheit	Y	Y
Automatic stop and start		Υ

RFB 17-06A

Food Service Freezer Truck
Automatic defrost
Microprocessor control system
Cab command remote control center
Critical cargo monitor in cab
Diagnostic safety indicators
Electric standby engine operation
Visual warning alarm in cab

Υ	
Υ	
Υ	
Υ	
Υ	
Υ	
Υ	
\$85,012.68	
Warranty	
3 yr Unlimited Miles	
Bumper-to-Bumper less	
consumables	
2 additional years	
available up to 175,000	
Miles	

Trans: 3 yr/Unlimited Miles Engine Emmision: 5 yr/100,000

Miles