

 DAG ARCHITECTS INC. 40 SOUTH PALATKA PLACE - STE 201 PORTLAND, FL 32802 (313) 954-9304 FAX 850-555-9193 www.dagarchitects.com		
PHASE III		
SANTA ROSA COUNTY SCHOOL DISTRICT ELKHART DRIVE K-8 SCHOOL		
2535 ELKHART DRIVE, GULF BREEZE, FL 32563		
NOT FOR CONSTRUCTION		
		
REVISIONS:		
No.	Description	Date
OVERALL BUILDING ELEVATIONS		
Project number	17076	
Date	May 1, 2019	
PK.	Approver	
FW	Designer	
A200		
Scale	As indicated	




E1 AREA A EAST ELEVATION
SCALE 1/8" = 1'-0"




C1 AREA A NORTHEAST ELEVATION
SCALE 1/8" = 1'-0"



A1 AREA A FRONT ENTRY ELEVATION
SCALE 1/8" = 1'-0"




C4 AREA A SOUTHWEST ELEVATION
SCALE: 1/8" = 1'-0"



1 AREA A SOUTHWEST ELEVATION
SCALE 1/8" = 1'-0"

GRAPHIC LEGEND



NOTE: REFER TO FINISH SCHEDULE ON SHEET A500901 FOR
ADDITIONAL INFORMATION

dag

DAG ARCHITECTS INC.
42 SOUTH PALAFOX PLACE - STE 201
PENSACOLA, FL 32502
(T) 850-429-9004
FAX 850-400-745
www.dagarchitects.com


[illegible]

PHASE III

SANTA ROSA COUNTY SCHOOL DISTRICT
ELKHART DRIVE K-8 SCHOOL

2535 ELKHART DRIVE, GULF BREEZE, FL 32563

NOT FOR
CONSTRUCTION



KEY PLAN


[illegible]

EXTERIOR
ELEVATIONS -
AREA A

Project number	17076
Dated	May 1 2013
PK	Approved
PM	Design

A210

Scale 1 (5" = 1'-0")



KEY PLAN

REVISIONS

[illegible]

EXTERIOR
ELEVATIONS -
AREA B

Project number	1703
----------------	------

Dated	May 1, 201
-------	------------

PIC	Approved
-----	----------


PM	Design
----	--------

A211


Scale $1/8" = 1'-0"$



E1 AREA B NORTHEAST ELEVATION
SCALE 1/8" = 1'-0"



C1 AREA B NORTHWEST ELEVATION
SCALE: 1/8" = 1'-0"



A1 AREA B SOUTHWEST ELEVATION
SCALE 1/8" = 1'-0"

GRAPHIC LEGEND



PREFINISHED STANDING SEAM
METAL ROOF SYSTEM



HORIZONTAL METAL PANEL 1.5 M



HORIZONTAL METAL PANEL 2.5




BRICK VENEER 1 BR-1




BACK VENEER 2 BR-2


NOTE: REFER TO FINISH SCHEDULE ON SHEET A005001 FOR ADDITIONAL INFORMATION.



E1 AREAS D&E NORTHWEST ELEVATION
SCALE 1/8" = 1'-0"




C1 AREAS D&E SOUTHWEST ELEVATION
SCALE 1/8" = 1'-0"



A1 AREAS D&E SOUTHEAST ELEVATION
SCALE 1/8" = 1'-0"

GRAPHIC LEGEND



NOTE: REFER TO FINISH SCHEDULE ON SHEET A600W01 FOR
ADDITIONAL INFORMATION



DAG ARCHITECTS INC.
40 SOUTH PALAFOX PLACE • STE 201
PENSACOLA, FL 32502
(T) 850-426-9004
FL# AA-C-000745
www.dagarchitects.com


[illegible]

PHASE III

SANTA ROSA COUNTY SCHOOL DISTRICT
ELKHART DRIVE K-8 SCHOOL

2535 ELKHART DRIVE, GULF BREEZE, FL 32563

NOT FOR
CONSTRUCTION



KEY PLAN

REVISIONS:

[illegible]

EXTERIOR
ELEVATIONS -
AREA D


Project number	17076
----------------	-------

DATE	May 1, 2019
PIC	Approved
PM	Deposited

A213

Scale $1/8" = 1'-0"$

DATE
ISSUED
May 1, 2019



① MECHANICAL 1ST FL ISOMETRIC VIEW
NOT TO SCALE



DAG ARCHITECTS INC.
40 SOUTH PALM BEACH PLACE - STE 200
PALM BEACH, FL 33480
TEL: 561-833-1000
FAX: 561-833-1001
WWW.DAG-ARCHITECTS.COM

PHASE II



**SANTA ROSA COUNTY SCHOOL DISTRICT
ELKHART DRIVE K-8 SCHOOL**
ELKHART DRIVE, NAVARRE, FL 32566

**NOT FOR
CONSTRUCTION**


KEY PLAN

REVISIONS

No.	Description	Date

**MECHANICAL
1ST FL
ISOMETRIC
VIEW**

Project Number	17076
Date	May 1, 2019
PK	0023
PK	0024
M701	



① MECHANICAL 2ND FL ISOMETRIC VIEW
SCALE



DAG ARCHITECTS INC.
40 SOUTH PALM GATE PLACE - STE 200
PENSACOLA, FL 32502
TEL 904-393-0000
FAX 904-393-0000
WWW.DAG-ARCHITECTS.COM

PHASE II




SCHMIDT
CONSULTING GROUP, INC.
10000 N. GULF BLVD., SUITE 100
FORT MYERS, FL 33907
TEL 888-288-7272
FAX 888-288-7272
WWW.SCHMIDTCONSULTING.COM

SANTA ROSA COUNTY SCHOOL DISTRICT
ELKHART DRIVE K-8 SCHOOL

ELKHART DRIVE, NAVARRE, FL 32566

NOT FOR
CONSTRUCTION



KEY PLAN

REVISIONS

No.	Description	Date

MECHANICAL
2ND FL
ISOMETRIC
VIEW

Sheet Number 17076
Date May 1, 2015
PKC
PMB

M702

Scale

SHEET NOTES

- 1 SIX (6) 1/2" CONDUITS IN CONCRETE ENCASED GUTTER. REFER TO DETAIL XXX FOR ADDITIONAL REQUIREMENTS. REFER TO SINGLE LINE DIAGRAM AND PANELBOARDS INFORMATION SCHEDULE FOR FEEDER REQUIREMENTS.
- 2 PROVIDE THE FOLLOWING CONDUITS FROM THE GENERATOR TO SERVING PANEL: AUTOMATIC TRANSFER SWITCH
 - ONE (1) 2" CONDUIT TO NON-ESSENTIAL ATS
 - ONE (1) 2" CONDUIT TO EMERGENCY ATS FOR CONTROLS
 - ONE (1) 2" SPARE CONDUIT STUB UP INTO ELECTRICAL ROOM
 - ONE (1) 1/2" CONDUIT TO EMERGENCY ATS
 - ONE (1) 1" CONDUIT TO PANEL ONE (1) FOR BATTERY CHARGER
 - ONE (1) 1" CONDUIT TO PANEL ONE (1) FOR BULK HEAD
- 3 ROUTE CIRCUIT THROUGH EXTERIOR LIGHTING CONTRACTOR. HOME RUN AND CIRCUIT SHALL BE 3/4" RIGID PVC. PROVIDE SLEEVES UNDER PAVED AREAS AS REQUIRED TO RUN CONDUIT AFTER SITE WORK IS COMPLETE.
- 4 ROUTE CIRCUIT THROUGH EXTERIOR LIGHTING CONTRACTOR.



DAG ARCHITECTS INC.
4600 W. PALM BLVD. SUITE 201
PALM BEACH, FL 33409
(561) 855-1234
www.dagarchitects.com

PROJECT: SANTA ROSA COUNTY SCHOOL DISTRICT K-8 SCHOOL
LOCATION: 2535 ELKHART DRIVE, GULF BREEZE, FL 32563
DATE: MAY 1, 2019
DRAWN BY: J. TAYLOR
CHECKED BY: M. JONES

PHASE III




SCHMIDT CONSULTING GROUP, INC.
1101 N. W. 10TH AVENUE, SUITE 200
FORT LAUDERDALE, FL 33304
(954) 575-1234
www.schmidtconsulting.com

SANTA ROSA COUNTY SCHOOL DISTRICT
ELKHART DRIVE K-8 SCHOOL

2535 ELKHART DRIVE, GULF BREEZE, FL 32563

NOT FOR
CONSTRUCTION



KEY PLAN

REVISIONS

No.	Description	Date

ELECTRICAL SITE PLAN

Project Number: **17076**
Date: May 1, 2019
P.C. TAYLOR
J.TAYLOR


E100


Scale: 1" = 40' 0"

ELECTRICAL SITE PLAN




SCALE: 1" = 40' 0"





FIRST FLOOR OVERALL LIGHTING PLAN

SCALE 3/64" = 1'-0"



DAQ ARCHITECTS INC.

40 SOUTH PALAFOX PLACE - STE 20
PENGACOLA, FL 32502
(T) 850-429-9004
FLR-AA-C000745
www.dagarcy9616.com

[illegible]

PHASE III




SCHMID
CONSULTING-GROUP AG

[illegible]

SANTA ROSA COUNTY SCHOOL DISTRICT
ELKHART DRIVE K-8 SCHOOL

2535 ELKHART DRIVE, GULF BREEZE, FL 32563

**NOT FOR
CONSTRUCTION**



KEY PLAN

REVISIONS:

[illegible]

FIRST FLOOR
OVERALL
LIGHTING PLAN

Project number	170
----------------	-----

Dated	May 1, 20
-------	-----------


PIC	TA
PM	17

E200

Scale $3/64" = 1'$



SCALE 3/64" = 1'-0"





Debitive	Alternate #1	Delete cubicles
Additive	Alternate #2	Build out Media Center as Temporary Serving
Additive	Alternate #3	Add Cafeteria
Additive	Alternate #4	Add Cafeteria & Kitchen
Additive	Alternate #5	Add Locker room & PE Multi-Purpose Room
Additive	Alternate #6	Build out Media Center Shell as Media Center

DAG ARCHITECTS INC.
40 SOUTH PALAFOX PLACE - STE 204
PENSACOLA, FL 32502
(T) 850-426-9004
FL# AA-000745
www.DagArchitects.com

... (faint text) ...

SANTA ROSA COUNTY SCHOOL DISTRICT
ELKHART DRIVE K-8 SCHOOL

2535 ELKHART DRIVE, GULF BREEZE, FL 32563

NOT FOR
CONSTRUCTION



REVISION

[illegible]

ALTERNATES
#2 & #3
OVERALL PLAN

Project number	1703
Dated	May 1 201
PKC	Approve
PM	Design

A801

Scale	As indicated
-------	--------------



Deductive	Alternate #1	Delite Lobby
Addive	Alternate #2	Build out Media Center as Temporary Serving
Addive	Alternate #3	Add Cafeteria
Addive	Alternate #4	Add Cafeteria & Kitchen
Addive	Alternate #5	Add Locker room & PE Multi-Purpose Room
Addive	Alternate #6	Build out Media Center Shell as Media Center

DAG ARCHITECTS INC.
40 SOUTH PALAFOX PLACE - STE 201
PENSACOLA, FL 32502
(T) 850-429-9004
FAX 904-000745
www.dagarchitects.com

1. 本報為擴大宣傳，特設「讀者信箱」一欄，歡迎各界人士踴躍投稿。凡有關本報業務之建議、批評、查詢等，均可寄交本報編輯部轉交信箱處理。本報將擇要刊登，以資參考。

SANTA ROSA COUNTY SCHOOL DISTRICT
ELKHART DRIVE K-8 SCHOOL

2535 ELKHART DRIVE, GULF BREEZE, FL 32563

A diagram of a hexagonal nut with six faces labeled A through F. The faces are arranged in a circular pattern around a central hexagonal core. The labels are: A (top-right), B (top), C (top-left), D (left), E (bottom-left), and F (bottom-right).

KEY PLAN

REVISIONS

No.	
-----	--

[illegible]

252

AL

#4

LOVE

OVER

[illegible]

Project number	
Date	

DATE
BY


PM

--	--

1

--	--

Scale



ROOF PLAN SHEET NOTES

- WALL MOUNTED LADDER A
- WALL MOUNTED LADDER B
- WALL MOUNTED LADDER C
- WALL MOUNTED LADDER D
- PROVIDE ADDITIONAL TAPERED INSULATION AS REQUIRED TO PROVIDE ROOF SLOPE
- DOWNSPUT WITH INTEGRAL DRAIN, CONNECT TO BELIGN GRADE STORM DRAIN PERIOD
- LADDER DOCK, SET IN GUTTER
- ROOF MOUNTED EQUIPMENT, PROVIDE CURB, FOLLOW ROOF MANUFACTURER'S STANDING DETAILS, SEE MECHANICAL AND PLUMBING DRAWINGS FOR ADDITIONAL INFORMATION
- ALUMINUM CANTY, SEE CANTY PLANS FOR ADDITIONAL INFORMATION AND FINISHES

LEGEND

- PREFABRICATED STANDING SEAM METAL ROOF SYSTEM
- SINGLE PLY ROOF MEMBRANE
- OUTLINE OF BUILDING BELOW
- DS-1 3\"/>

GENERAL NOTES:

1. INSTALL ALL ROOF PENETRATIONS, CURBS, VENTS, ETC. IN ACCORDANCE WITH ROOFING MANUFACTURER'S
 2. CONTRACTOR SHALL COORDINATE WORK WITH MECHANICAL, ELECTRICAL AND PLUMBING DRAWINGS
 3. PROVIDE GUTTER EXPANSION JOINTS AS RECOMMENDED BY MANUFACTURER
 4. ROOF INSULATION SHALL HAVE MIN. R-10 R VALUE, FLASHING CONCRETE FLASHING ON ROOF AT ALL DOWNSPOUTS THAT DRAIN OUTDOORS
- GUTTER/DS CALCS**
- LENGTH OF GUTTER MAX. REFER TO SPECIFICATIONS
 AREA OF ROOF 99,500 SF
 SLOPE INCREASE FACTOR 1\"/>
- DOWNSPOUT CAPACITY
 4\"/>
- ACTUAL MAX. GPM PER DOWNSPOUT= 4317 SF X .075= 324 GPM
 4\"/>

ALTERNATE #3

ALTERNATE #4

ALTERNATE #5

A1 OVERALL ROOF PLAN

SCALE 3/4\"/>




DAG ARCHITECTS INC.
 42 SOUTH PALM JAR PLACE - STE 201
 MIAMI, FL 33132
 (305) 441-2400
 www.dagarchitects.com

PHASE III

SANTA ROSA COUNTY SCHOOL DISTRICT
ELKHART DRIVE K-8 SCHOOL

2535 ELKHART DRIVE, GULF BREEZE, FL 32563

NOT FOR CONSTRUCTION



KEY PLAN



REVISIONS		
No.	Description	Date

ALTERNATES #4, #5 & #6 OVERALL ROOF PLAN

Project Number	17076
Date	May 1, 2019
Prepared By	Architect
Drawn By	Designer

A803

Scale As indicated



(A3) FIRST FLOOR DIMENSION PLAN - TEMPORARY SERVING

PLAN GRAPHIC LEGEND

PLAY SYMBOLS

- | | |
|---|--|
|  | ROOM IDENTIFIER—NAME, NUMBER, AREA |
|  | PARTITION TYPE IDENTIFIER—SEE WALL TYPES |
|  | RATED PARTITION TYPE IDENTIFIER—SEE WALL TYPES |
|  | DOOR IDENTIFIER—SEE DOOR SCHEDULE |
|  | WINDOW IDENTIFIER—SEE WINDOW TYPES AND ELEVATIONS |
|  | STOREFRONT WINDOW IDENTIFIER—SEE STOREFRONT TYPES AND ELEVATIONS |
|  | CURTAIN WALL IDENTIFIER—SEE CURTAIN WALL TYPES AND ELEVATIONS |
|  | LOUVER IDENTIFIER—SEE LOUVER TYPES AND ELEVATIONS |
|  | EXTERIOR COLUMN GRIDLINE |
|  | INTERIOR COLUMN GRIDLINE |
|  | CEILING HEIGHT INDICATOR |
|  | EQUIPMENT—CONTRACTOR PROVIDED |
|  | EQUIPMENT—OWNER PROVIDED |
|  | SPOT ELEVATION MARKER |
|  | ELEVATION/LEVEL MARKER |
|  | FIRE EXTINGUISHER |

PLAN GENERAL NOTES

2. CONTRACTOR SHALL PROVIDE SHEET STEEL REINFORCING BEHIND WALL AND PROVIDE REINFORCING WITH CORROSION PROTECTANT, WITH ALL DATA AND ELECTRICAL DRAWINGS.
3. CONTRACTOR SHALL COORDINATE WORK WITH MECHANICAL, ELECTRICAL AND PLUMBING CONTRACTORS.
4. ALL DIMENSIONS ARE FROM FACE OF STUD RAIL OR MU UNLESS NOTED OTHERWISE.
5. REFER TO LIFE SAFETY PLAN FOR FIRE RATED AND SMOKE RATED WALL LOCATIONS.
6. REFER TO SHEET ADD00 FOR WALL TYPE ASSEMBLIES.
7. REFER TO FINISH PLAN AND FINISH SCHEDULE ON SHEET ADD00 FOR SURFACE FINISHES.
8. REFER TO SHEET ADD00 AND/OR FOR DOOR AND WINDOW SCHEDULES.
9. REFER TO SHEET ADD00 FOR PARTITION LEVEND.
10. FOR FINISH ELEVATIONS, REFER TO FINISH ELEVATION TAGS.
11. PROVIDE SLOPE 1/4" MU AND BASH. SHAPES AS REQUIRED BY DETAILS AND TO PROVIDE FINGERHOLD AT MASONRY EDGES AT OPENINGS, CUT MU AND MISC. GASKETS.

PLAN SHEET NOTES

- FRONT STAGE CURBLINE
○ OPERABLE PANEL PARTITION REFER TO SHEET A3.03
○ 4" CONCRETE MECHANICAL PAINT WITH 1/8" TURN DOWN EDGE SLOPE AWAY FROM BUILDING. BROWN FINISH
○ CONCRETE SIDEWALKS: 8" RAMPUPS, CURBS AND FINISHED BEDS REFER TO PLAN NOTES
○ CUSTOMER SHEET REFER TO TRAFFIC ACCESSORIES SCHEDULE
○ 7.4" HIGH MASONRY CURB: SEE DIMENSION PLAN FOR WIDTH. PROVIDE LITELS PER STRUCTURAL DRAWINGS.
○ PER 8" HIGH MASONRY CURB: SEE DIMENSION PLAN FOR WIDTH. PROVIDE LITELS PER STRUCTURAL DRAWINGS.
○ LOCATE EDGE OF MARKER BOARD 8 1/2" FROM EDGE OF DOOR FRAME.
○ EYE PITCHING COORDINATE WITH STRUCTURAL REFERENCE SPECIFICATIONS
○ INFILL WALLS PER TYPICAL NOTES



DAG ARCHITECTS INC.
40 SOUTH PALAFOX PLACE - STE 20
PENSACOLA FL 32502
(T) 850-429-9004
FL# AH-C-000745
www.dagarchitects.com


[illegible]

PHASE III

SANTA ROSA COUNTY SCHOOL DISTRICT
ELKHART DRIVE K-8 SCHOOL

2535 ELKHART DRIVE, GULF BREEZE, FL 32563

NOT FOR
CONSTRUCTION



KEY PLAN

REVISIONS

No.	
-----	--

ALT

ALF
ELCFLC
D

DI

1

Project num.


54

PVC
...

79	
----	--

1

Scale



1 FIRST FLOOR DIMENSION PLAN - CAFETERIA
SCALE 1/8" = 1'-0"

PLAN GRAPHIC LEGEND

PLAN SYMBOLS

- | | |
|--|---|
| | FLOOR IDENTIFIER: NAME, NUMBER, AREA |
| | PARTITION TYPE IDENTIFIER: SEE WALL TYPE |
| | RATED PARTITION TYPE IDENTIFIER: SEE WALL TYPES |
| | DOOR IDENTIFIER: SEE DOOR SCHEDULE |
| | WINDOW IDENTIFIER: SEE WINDOW TYPES AND ELEVATIONS |
| | STOREFRONT WINDOW IDENTIFIER: SEE STOREFRONT TYPES AND ELEVATIONS |
| | CURTAIN WALL IDENTIFIER: SEE CURTAIN WALL TYPES AND ELEVATIONS |
| | LOUVER IDENTIFIER: SEE LOUVER TYPES AND ELEVATIONS |
| | EXISTING COLUMN OUTLINE |
| | NEW COLUMN OUTLINE |
| | CEILING HEIGHT INDICATOR |
| | EQUIPMENT: CONTRACTOR PROVIDED |
| | EQUIPMENT: OWNER PROVIDED |
| | SPOT ELEVATION MARKER |
| | ELEVATION OF DOOR LEVEL MARKER |
| | FIRE EXTINGUISHER |

PLAN GENERAL NOTES

1. CONTRACTOR SHALL PROVIDE STEEL REINFORCING BEHIND WALL MOUNTED AND LEAD-IN MOUNTED TYPES. COORDINATE WITH A/E, DATA AND ELECTRICAL DRAWINGS.
2. CONTRACTOR SHALL COORDINATE WORK WITH MECHANICAL, ELECTRICAL AND PLUMBING CONTRACTORS.
3. ALL DIMENSIONS ARE FROM FACE OF STUD RIG OR MU UNLESS NOTED OTHERWISE.
4. REFER TO LIFE SAFETY PLANS FOR FIRE AND SEISMIC RATED WALL LOCATIONS.
5. REFER TO SHEET 4000 FOR WALL TYPE ASSEMBLIES.
6. REFER TO FINISH PLANS AND FINISH SCHEDULE ON SHEET 4000 FOR SURFACE FINISHES.
7. REFER TO SHEET 4000 AND 4010 FOR DOOR AND WINDOW SCHEDULES.
8. REFER TO SHEET 4001 FOR EGRESS LEGEND.
9. REFER TO SHEET 4000 AND 4010 FOR FINISH ELEVATION TABLE.
10. PROVIDE SLOPE 1/4" PER 1' BACKLASH AS REQUIRED BY DETAIL 2 AND TO PROVIDE FINISH PROTRUSION / MASSACH'S EDGE AT OPENING, CUT MU / MOUNTING PLATE / MASONRY CHASE.

PLAN SHEET NOTES

- | | |
|--|--|
| FRONT STAGE CURTAIN | |
| OPERABLE PANEL PARTITION REFER TO SHEET A530 | |
| 4" CONCRETE MECHANICAL PAD WITH 1/4" TURN DOWN EDGE SLOPE AWAY FROM BUILDING DRAINAGE FINISH | |
| CONCRETE SIDEWALKS AND RAMP CURBS AND FINISHING BEDS REFER TO CIVIL DRAWINGS | |
| CUSTOMER SHEET REFER TO CURTAIN ACCESSORIES SCHEDULE | |
| 7-1/4" HUB MASONRY GROUNDING SEE DIMENSION PLAN FOR VERTICAL PROVIDE UNIFORM FOR STRUCTURAL DRAWINGS | |
| 8-1/4" HUB MASONRY GROUNDING SEE DIMENSION PLAN FOR VERTICAL PROVIDE UNIFORM FOR STRUCTURAL DRAWINGS | |
| LOCATE EDGE OF MARKER BOARD 8 1/2" FROM EDGE OF DOOR FRAME | |
| USE PTHG HUB COORDINATE WITH STRUCTURAL REFERENCE SPECIFICATIONS | |
| INFL WALL GROUNDING PER TYPICAL DETAIL | |



DAG ARCHITECTS INC.
40 SOUTH PALM JUX PLACE - STE 20
PENSACOLA FL 32502
(T) 850-429-9004
FL# AA-C099745
www.dagarchitects.com


1. 在“数据”菜单中选择“数据有效性”命令，打开“数据有效性”对话框，如图 10-1-10 所示。

PHASE III

SANTA ROSA COUNTY SCHOOL DISTRICT
ELKHART DRIVE K-8 SCHOOL

2535 ELKHART DRIVE, GULF BREEZE, FL 32563

NOT FOR
CONSTRUCTION



KEY PLAN

REVISIONS

[illegible]


ALTERNATE #3
DIMENSION
PLAN

Project number	17076
Dated	May 1, 2019
PKC	Approver
PM	Designer


A831.1

Scale $1/8" = 1'-0"$

FINISH GRAPHIC LEGEND		FINISH GENERAL NOTES		FINISH SHEET NOTES	
FRESH SYMBOLS WALL AND BASE FINISH WALL FINISH FLOOR FINISH CHANGE IN SPECIFIED FINISH - PROVIDE TRANSITION STRIP AS REQUIRED DIRECTION OF SPECIFIED FINISH		FINISH GENERAL NOTES 1. REFER TO SHEET AND FOR FINISH SCHEDULE FOR ADDITIONAL INFORMATION. 2. REFER TO SHEET AND FOR FINISH MATERIAL LEADING. 3. REFER TO REFLECTED CEILING PLANS FOR CEILING FINISHES. 4. ALL DIMENSIONS ARE FROM FINISH FACE UNLESS NOTED OTHERWISE. 5. ASSUME MOST EXPENSIVE FINISH. 6. INSTALL FLOORING AND BASE PRIOR TO CABINETRY INSTALLATION. 7. CONTRACTOR SHALL RELAY ANY EXPOSED COUSINGS IN PREPARATION FOR FINISH MATERIAL UNLESS NOTED OTHERWISE. 8. ALL TRANSITIONS FROM TILE TO STONE SHALL BE DONE SCIENTIFICALLY TO COORDINATE WITH THE THICKNESS OF THE ADJACENT TILE, WITH BRIGHT NICKEL ANODIZED ALUMINUM.		FINISH SHEET NOTES NOTE 1 NOTE 2 NOTE 3	
STORAGE IDENTIFIER - SEE SIGN TYPES LVT PLANK CARPET PLANK (FIELD) CARPET SQUARE (FIELD) CARPET SQUARE (ACCENT) CARPET SQUARE (ACCENT) CARPET SQUARE (ACCENT) CARPET SQUARE (ACCENT) WALK-OFF CARPET SQUARE		VCT (FIELD) VCT (ACCENT) EPOXY SEALED CONCRETE ACOUSTIC PANELS TILE FRP			



B1 FIRST FLOOR FINISH PLAN - KITCHEN
SCALE: 1/8" = 1'-0"



B4 FIRST FLOOR REFLECTED CEILING PLAN - KITCHEN
SCALE: 1/8" = 1'-0"

RCP GRAPHIC LEGEND		RCP GENERAL NOTES		RCP SHEET NOTES	
CEILING PLAN SYMBOLS LIGHT FIXTURES - SEE ELECTRICAL MECHANICAL DEVICES - SEE MECHANICAL 2' x 2' ACOUSTICAL CEILING TILE 8'-0\"/> GYPSUM BOARD CEILING 5/8\"/> PREFINISHED VENTILATED METAL SOFFIT PANELS		RCP GENERAL NOTES 1. CONTRACTOR SHALL COORDINATE ALL WORK WITH MECHANICAL, ELECTRICAL, AND PLUMBING DRAWINGS. 2. REFER TO SHEET AND FOR FINISH SCHEDULE FOR ADDITIONAL INFORMATION. 3. REFER TO SHEET AND FOR MATERIAL FINISH SCHEDULE. 4. ALL CEILING PANEL LOCATIONS TO BE COORDINATED WITH MECHANICAL, ELECTRICAL, PLUMBING AND FIRE SPROKELER WORK. 5. SEE ELECTRICAL FOR LIGHTING FIXTURE SCHEDULE. 6. ALL FIRE SPROKELER HEADS AND ELECTRICAL FIXTURES SHALL BE CENTERED WITHIN CEILING TILES.		RCP SHEET NOTES NOTE 1 NOTE 2 NOTE 3	
WIRE CASING MOUNTED TO UNDER SIDE OF TRUSS EXPOSED TO STRUCTURE SPEAKER SYSTEM - SEE FIRE ALARM EXIT LIGHT - SEE ELECTRICAL DIRECTIONAL EXIT LIGHT - SEE ELECTRICAL MOTION DETECTOR - SEE ELECTRICAL		CEILING HEIGHT DESIGNATION EXPOSED CEILING PROJECTOR MOUNT ACCESS PANEL			




DAG ARCHITECTS INC.
40 SOUTH PALM AVE. - STE 201
MIAMI, FL 33132
(305) 442-9004
www.dagarchitects.com

DATE: 05/11/2019
BY: J. MARTINEZ
CHECKED: J. MARTINEZ
APPROVED: J. MARTINEZ
PROJECT: ALTERNATE #4 FINISH PLAN & REFLECTED CEILING PLAN

PHASE III

SANTA ROSA COUNTY SCHOOL DISTRICT
ELKHART DRIVE K-8 SCHOOL
2535 ELKHART DRIVE, GULF BREEZE, FL 32563

NOT FOR CONSTRUCTION



KEY PLAN

REVISIONS:


No.	Description	Date

ALTERNATE #4
FINISH PLAN &
REFLECTED
CEILING PLAN


Project number	17076
Dated	May 1, 2019
By	Approver
For	Designer
A841.1	
Scale	1/8" = 1'-0"

FINISH GRAPHIC LEGEND

FINISH SYMBOL



STORAGE IDENTIFIER: S

 VST

FINISH GENERAL NOTES


1. REFER TO SHEET 4450 FOR FINISH SCHEDULE FOR ADDITIONAL INFORMATION.
2. REFER TO SET 410 FOR FINISH MATERIAL LEGEND.
3. REFER TO REFLECTED CEILING PLANS FOR CEILING FINISHES.
4. ALL DIMENSIONS ARE FROM FINISH FACE UNLESS NOTED OTHERWISE.
5. ASSUME MOST EXPENSIVE FINISH.
6. INSTALL FLOORING AND BASE PRIOR TO CABINETRY INSTALLATION.
7. CONTRACTOR SHALL FILL VOID ANY EXPOSED COLUMNS IN PREPARATION FOR FINISH MATERIALS UNLESS NOTED OTHERWISE.
8. ALL TRANSITIONS FROM THE TYPICAL SHALL REQUIRE SCHEDULER SIGNATURE SHEET AND 100% INSPECTION SIGNATURE SHEET. OBTAIN THE THICKNESS OF THE ADJACENT TIE, WITH BAR/REINFORCEMENT ANCHORAGE.

FINISH SHEET NOTES


- | | |
|---|--------|
| ① | NOTE 1 |
| ② | NOTE 2 |
| ③ | NOTE 3 |

FINISH SCHEDULE - PE	
----------------------	--

ROOM	FURNITURE					
NO	ROOMNAME	FLOOR	WALL	CENING	BASE	
01	CONCORR	STCNGR	PANT	AC-1	AS	
02A	FE DEOR	YCT	PANT	AC-1	AS	
03A	GYM STOR	VCT	PANT	AC-1	AS	
04	STOR	CONC	PANT	AC-1	AS	
05	FE MULTIPURPOSE	GARFET	PANT	EXP	AS	
06	MCH	CONC	PANT	EXP	AS	
07	BONG LOCKER	EPGY	PANT	AC-2	EPGY	
08	STOR	EPGY	PANT	AC-2	EPGY	
09B	STOR	EPGY	TBL	AC-2	EPGY	
10A	BOYSR	EPGY	TBL	AC-2	EPGY	
11	STOR	EPGY	AC-2	EPGY		
12	STOR LOCKER	EPXY	PANT	AC-2	EPGY	
13A	STOR	EPGY	PANT	AC-1	EPGY	
14	STOR	EPGY	TBL	AC-2	EPGY	
15	STOR	EPGY	TBL	AC-2	EPGY	
16	STOR	EPGY	TBL	AC-2	EPGY	
17	STOR	EPGY	TBL	AC-2	EPGY	
18	STOR	EPGY	TBL	AC-2	EPGY	
19	STOR	EPGY	TBL	AC-2	EPGY	
20	STOR	EPGY	TBL	AC-2	EPGY	
21	STOR	EPGY	TBL	AC-2	EPGY	
22	STOR	EPGY	TBL	AC-2	EPGY	
23	STOR	EPGY	TBL	AC-2	EPGY	
24	STOR	EPGY	TBL	AC-2	EPGY	
25	STOR	EPGY	TBL	AC-2	EPGY	
26	STOR	EPGY	TBL	AC-2	EPGY	
27	STOR	EPGY	TBL	AC-2	EPGY	
28	STOR	EPGY	TBL	AC-2	EPGY	
29	STOR	EPGY	TBL	AC-2	EPGY	
30	STOR	EPGY	TBL	AC-2	EPGY	
31	STOR	EPGY	TBL	AC-2	EPGY	
32	STOR	EPGY	TBL	AC-2	EPGY	
33	STOR	EPGY	TBL	AC-2	EPGY	
34	STOR	EPGY	TBL	AC-2	EPGY	
35	STOR	EPGY	TBL	AC-2	EPGY	
36	STOR	EPGY	TBL	AC-2	EPGY	
37	STOR	EPGY	TBL	AC-2	EPGY	
38	STOR	EPGY	TBL	AC-2	EPGY	
39	STOR	EPGY	TBL	AC-2	EPGY	
40	STOR	EPGY	TBL	AC-2	EPGY	
41	STOR	EPGY	TBL	AC-2	EPGY	
42	STOR	EPGY	TBL	AC-2	EPGY	
43	STOR	EPGY	TBL	AC-2	EPGY	
44	STOR	EPGY	TBL	AC-2	EPGY	
45	STOR	EPGY	TBL	AC-2	EPGY	
46	STOR	EPGY	TBL	AC-2	EPGY	
47	STOR	EPGY	TBL	AC-2	EPGY	
48	STOR	EPGY	TBL	AC-2	EPGY	
49	STOR	EPGY	TBL	AC-2	EPGY	
50	STOR	EPGY	TBL	AC-2	EPGY	
51	STOR	EPGY	TBL	AC-2	EPGY	
52	STOR	EPGY	TBL	AC-2	EPGY	
53	STOR	EPGY	TBL	AC-2	EPGY	
54	STOR	EPGY	TBL	AC-2	EPGY	
55	STOR	EPGY	TBL	AC-2	EPGY	
56	STOR	EPGY	TBL	AC-2	EPGY	
57	STOR	EPGY	TBL	AC-2	EPGY	
58	STOR	EPGY	TBL	AC-2	EPGY	
59	STOR	EPGY	TBL	AC-2	EPGY	
60	STOR	EPGY	TBL	AC-2	EPGY	
61	STOR	EPGY	TBL	AC-2	EPGY	
62	STOR	EPGY	TBL	AC-2	EPGY	
63	STOR	EPGY	TBL	AC-2	EPGY	
64	STOR	EPGY	TBL	AC-2	EPGY	
65	STOR	EPGY	TBL	AC-2	EPGY	
66	STOR	EPGY	TBL	AC-2	EPGY	
67	STOR	EPGY	TBL	AC-2	EPGY	
68	STOR	EPGY	TBL	AC-2	EPGY	
69	STOR	EPGY	TBL	AC-2	EPGY	
70	STOR	EPGY	TBL	AC-2	EPGY	
71	STOR	EPGY	TBL	AC-2	EPGY	
72	STOR	EPGY	TBL	AC-2	EPGY	
73	STOR	EPGY	TBL	AC-2	EPGY	
74	STOR	EPGY	TBL	AC-2	EPGY	
75	STOR	EPGY	TBL	AC-2	EPGY	
76	STOR	EPGY	TBL	AC-2	EPGY	
77	STOR	EPGY	TBL	AC-2	EPGY	
78	STOR	EPGY	TBL	AC-2	EPGY	
79	STOR	EPGY	TBL	AC-2	EPGY	
80	STOR	EPGY	TBL	AC-2	EPGY	
81	STOR	EPGY	TBL	AC-2	EPGY	
82	STOR	EPGY	TBL	AC-2	EPGY	
83	STOR	EPGY	TBL	AC-2	EPGY	
84	STOR	EPGY	TBL	AC-2	EPGY	
85	STOR	EPGY	TBL	AC-2	EPGY	
86	STOR	EPGY	TBL	AC-2	EPGY	
87	STOR	EPGY	TBL	AC-2	EPGY	
88	STOR	EPGY	TBL	AC-2	EPGY	
89	STOR	EPGY	TBL	AC-2	EPGY	
90	STOR	EPGY	TBL	AC-2	EPGY	
91	STOR	EPGY	TBL	AC-2	EPGY	
92	STOR	EPGY	TBL	AC-2	EPGY	
93	STOR	EPGY	TBL	AC-2	EPGY	
94	STOR	EPGY	TBL	AC-2	EPGY	
95	STOR	EPGY	TBL	AC-2	EPGY	
96	STOR	EPGY	TBL	AC-2	EPGY	
97	STOR	EPGY	TBL	AC-2	EPGY	
98	STOR	EPGY	TBL	AC-2	EPGY	
99	STOR	EPGY	TBL	AC-2	EPGY	
100	STOR	EPGY	TBL	AC-2	EPGY	
101	STOR	EPGY	TBL	AC-2	EPGY	
102	STOR	EPGY	TBL	AC-2	EPGY	
103	STOR	EPGY	TBL	AC-2	EPGY	
104	STOR	EPGY	TBL	AC-2	EPGY	
105	STOR	EPGY	TBL	AC-2	EPGY	
106	STOR	EPGY	TBL	AC-2	EPGY	
107	STOR	EPGY	TBL	AC-2	EPGY	
108	STOR	EPGY	TBL	AC-2	EPGY	
109	STOR	EPGY	TBL	AC-2	EPGY	
110	STOR	EPGY	TBL	AC-2	EPGY	
111	STOR	EPGY	TBL	AC-2	EPGY	
112	STOR	EPGY	TBL	AC-2	EPGY	
113	STOR	EPGY	TBL	AC-2	EPGY	
114	STOR	EPGY	TBL	AC-2	EPGY	
115	STOR	EPGY	TBL	AC-2	EPGY	
116	STOR	EPGY	TBL	AC-2	EPGY	
117	STOR	EPGY	TBL	AC-2	EPGY	
118	STOR	EPGY	TBL	AC-2	EPGY	
119	STOR	EPGY	TBL	AC-2	EPGY	
120	STOR	EPGY	TBL	AC-2	EPGY	
121	STOR	EPGY	TBL	AC-2	EPGY	
122	STOR	EPGY	TBL	AC-2	EPGY	
123	STOR	EPGY	TBL	AC-2	EPGY	
124	STOR	EPGY	TBL	AC-2	EPGY	
125	STOR	EPGY	TBL	AC-2	EPGY	
126	STOR	EPGY	TBL	AC-2	EPGY	
127	STOR	EPGY	TBL	AC-2	EPGY	
128	STOR	EPGY	TBL	AC-2	EPGY	
129	STOR	EPGY	TBL	AC-2	EPGY	
130	STOR	EPGY	TBL	AC-2	EPGY	
131	STOR	EPGY	TBL	AC-2	EPGY	
132	STOR	EPGY	TBL	AC-2	EPGY	
133	STOR	EPGY	TBL	AC-2	EPGY	
134	STOR	EPGY	TBL	AC-2	EPGY	
135	STOR	EPGY	TBL	AC-2	EPGY	
136	STOR	EPGY	TBL	AC-2	EPGY	
137	STOR	EPGY	TBL	AC-2	EPGY	
138	STOR	EPGY	TBL	AC-2	EPGY	
139	STOR	EPGY	TBL	AC-2	EPGY	
140	STOR	EPGY	TBL	AC-2	EPGY	
141	STOR	EPGY	TBL	AC-2	EPGY	
142	STOR	EPGY	TBL	AC-2	EPGY	
143	STOR	EPGY	TBL	AC-2	EPGY	
144	STOR	EPGY	TBL	AC-2	EPGY	
145	STOR	EPGY	TBL	AC-2	EPGY	
146	STOR	EPGY	TBL	AC-2	EPGY	
147	STOR	EPGY	TBL	AC-2	EPGY	
148	STOR	EPGY	TBL	AC-2	EPGY	
149	STOR	EPGY	TBL	AC-2	EPGY	
150	STOR	EPGY	TBL	AC-2	EPGY	
151	STOR	EPGY	TBL	AC-2	EPGY	
152	STOR	EPGY	TBL	AC-2	EPGY	
153	STOR	EPGY	TBL	AC-2	EPGY	
154	STOR	EPGY	TBL	AC-2	EPGY	
155	STOR	EPGY	TBL	AC-2	EPGY	
156	STOR	EPGY	TBL	AC-2	EPGY	
157	STOR	EPGY	TBL	AC-2	EPGY	
158	STOR	EPGY	TBL	AC-2	EPGY	
159	STOR	EPGY	TBL	AC-2	EPGY	
160	STOR	EPGY	TBL	AC-2	EPGY	
161	STOR	EPGY	TBL	AC-2	EPGY	
162	STOR	EPGY	TBL	AC-2	EPGY	
163	STOR	EPGY	TBL	AC-2	EPGY	
164	STOR	EPGY	TBL	AC-2	EPGY	
165	STOR	EPGY	TBL	AC-2	EPGY	
166	STOR	EPGY	TBL	AC-2	EPGY	
167	STOR	EPGY	TBL	AC-2	EPGY	
168	STOR	EPGY	TBL	AC-2	EPGY	
169	STOR	EPGY	TBL	AC-2	EPGY	
170	STOR	EPGY	TBL	AC-2	EPGY	
171	STOR	EPGY	TBL	AC-2	EPGY	
172	STOR	EPGY	TBL	AC-2	EPGY	
173	STOR	EPGY	TBL	AC-2	EPGY	
174	STOR	EPGY	TBL	AC-2	EPGY	
175	STOR	EPGY	TBL	AC-2	EPGY	
176	STOR	EPGY	TBL	AC-2	EPGY	
177	STOR	EPGY	TBL	AC-2	EPGY	
178	STOR	EPGY	TBL	AC-2	EPGY	
179	STOR	EPGY	TBL	AC-2	EPGY	
180	STOR	EPGY	TBL	AC-2	EPGY	
181	STOR	EPGY	TBL	AC-2	EPGY	
182	STOR	EPGY	TBL	AC-2	EPGY	
183	STOR	EPGY	TBL	AC-2	EPGY	
184	STOR	EPGY	TBL	AC-2	EPGY	
185	STOR	EPGY	TBL	AC-2	EPGY	
186	STOR	EPGY	TBL	AC-2	EPGY	
187	STOR	EPGY	TBL	AC-2	EPGY	
188	STOR	EPGY	TBL	AC-2	EPGY	
189	STOR	EPGY	TBL	AC-2	EPGY	
190	STOR	EPGY	TBL	AC-2	EPGY	
191	STOR	EPGY	TBL	AC-2	EPGY	
192	STOR	EPGY	TBL	AC-2	EPGY	
193	STOR	EPGY	TBL	AC-2	EPGY	
194	STOR	EPGY	TBL	AC-2	EPGY	
195	STOR	EPGY	TBL	AC-2	EPGY	
196	STOR	EPGY	TBL	AC-2	EPGY	
197	STOR	EPGY	TBL	AC-2	EPGY	
198	STOR	EPGY	TBL	AC-2	EPGY	
199	STOR	EPGY	TBL	AC-2	EPGY	
200	STOR	EPGY	TBL	AC-2	EPGY	



B1 FIRST FLOOR FINISH PLAN - AREA E
SCALE 1/8" = 1'-0"



B4 FIRST FLOOR REFLECTED CEILING PLAN - AREA E
SCALE: 1/8" = 1'-0"

RCP GRAPHIC LEGEND

CEILING PLAN SYMBOLS



WIRE CAGING MOUNTED TO UNDER SIDE OF TRUSS



CEILING HEIGHT DEVIATION



RCP GENERAL NOTES

1. CONTRACTOR SHALL COORDINATE ALL WORK WITH MECHANICAL, ELECTRICAL AND PLUMBING DRAWINGS.
2. REFER TO SHEET A600 FOR ROOM FOR FINISH SCHEDULE FOR ADDITIONAL INFORMATION.
3. REFER TO SHEET A810 FOR MATERIAL FINISH LEGEND.
4. ALL ACCESS PANEL LOCATIONS TO BE COORDINATED WITH MECHANICAL, ELECTRICAL PLUMBING AND FIRE SPRINKLER WORK.
5. SEE ELECTRICAL FOR LIGHTING/FIRE SCHEDULE.
6. ALL FIRE SPRINKLER HEADS AND ELECTRICAL FIXTURES SHALL BE CENTERED WITH FINISHING TIES.

RCP SHEET NOTES

- | | |
|---|---|
| ○ | INFILL CERLING AT COOLER WITH STAINLESS STEEL PANEL |
| ○ | NOTE |
| ○ | NOTE |
| ○ | NOTE |



DAG ARCHITECTS INC.
40 SOUTH PALAFOX PLACE - STE 201
PENSACOLA FL 32502
(T) 850-429-9004
FL# AA-C000745
www.dagarchitects.com


© 1999 by The McGraw-Hill Companies, Inc. All rights reserved. This publication is protected by copyright. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or by any information storage or retrieval system, without prior written permission from The McGraw-Hill Companies, Inc.

PHASE III

SANTA ROSA COUNTY SCHOOL DISTRICT
ELKHART DRIVE K-8 SCHOOL

2535 ELKHART DRIVE, GULF BREEZE, FL 32563

NOT FOR
CONSTRUCTION



KEY PLAN

REVISIONS:

[illegible]

ALTERNATE #5
FINISH PLAN &
REFLECTED
CEILING PLAN

Project number	1707
Dated	May 1 201
PK	Approve
PM	Designe

A851.1

Scale $1/b'' = 1'-0''$

FINISH GRAPHIC LEGEND


FINISH SYMBOLS	
	WALL AND BASE FINISH EXTENT OF FINISH
	WALL FINISH EXTENT OF FINISH
	FLOOR FINISH
	CHANGE IN SPECIFIED FINISH: PROVIDE TRANSITION STRIP AS REQUIRED
	DIRECTION OF SPECIFIED FINISH
	SPONGE IDENTIFIER-SEE SECTION NOTES
	LVT PLANK
	CARPET PLANK (FIELD)
	CARPET PLANK (ACCENT)
	CARPET SQUARE (FIELD)
	CARPET SQUARE (ACCENT)
	CARPET SQUARE ASPHALT
	WALK-OFF CARPET SQUARE
	VCT (FIELD)
	VCT (ACCENT)
	EPOXY
	SEALED CONCRETE
	ACOUSTIC PANELS
	TILE
	FRP

FINISH GENERAL NOTES


1. REFER TO SHEET A861.2 FOR FINISH SCHEDULE FOR ADDITIONAL INFORMATION.
2. REFER TO SHEET A861.3 FOR FINISH MATERIAL LEGEND.
3. REFER TO REFLECTED CEILING PLANS FOR CEILING FINISHES.
4. ALL DIMENSIONS ARE FROM FINISH FACE UNLESS NOTED OTHERWISE.
5. ASSUME MOST EXPENSIVE FINISH.
6. INSTALL FLOORING AND BASE FINISH TO CORNER/STAIR INSTALLATION.
7. CONTRACTOR SHALL FILL VOIDS AND EXPOSED COLUMNS IN PREPARATION FOR FINISH MATERIALS (UNLESS NOTED OTHERWISE).
8. ALL TRANSITIONS FROM TILE TO GYP. SHALL RECEIVE SCULPTURE SCIENCE STRIP AND TO IMPART TO COORDINATE WITH THE FINISHES OF THE ADJACENT TILE, WITH BRIGHT NICKEL ANODIZED ALUMINUM.

FINISH SHEET NOTES

- NOTE 1
 NOTE 2
 NOTE 3



C3 FIRST FLOOR FINISH PLAN - MEDIA CENTER
 SCALE: 1/8" = 1'-0"



A3 FIRST FLOOR REFLECTED CEILING PLAN - MEDIA CENTER
 SCALE: 1/8" = 1'-0"

RCP GRAPHIC LEGEND

CEILING PLAN SYMBOLS	
	LIGHT FIXTURES SEE ELECTRICAL
	MECHANICAL DEVICES SEE MECHANICAL
	2' x 2' ACOUSTICAL CEILING TILE NOT APPLICABLE UNLESS NOTED OTHERWISE SEE FINISH SCHEDULE
	GYPSONUM BOARD CEILING 5/8" AFF UNLESS NOTED OTHERWISE. PROVIDE MACHINE RESISTANT @ ALL JET AREAS AND JUNCTIONS & CLUSTERS
	PAINTED/VENTED METAL SOFFIT PANELS
	WIRE CABLES MOUNTED TO UNDER SIDE OF TRUSS
	EXPOSED TO STRUCTURE
	SPEAKER SYSTEM SEE FIRE ALARM
	EXIT LIGHT SEE ELECTRICAL
	DIRECTIONAL EXIT LIGHT SEE ELECTRICAL
	MOTION DETECTOR SEE ELECTRICAL
	CEILING HEIGHT DESIGNATION
	EXP. EXPOSED CEILING
	PRJ. PROJECTOR MOUNT
	ACC. ACCESS PANEL

RCP GENERAL NOTES

1. CONTRACTOR SHALL COORDINATE ALL WORK WITH MECHANICAL, ELECTRICAL AND PLUMBING DRAWINGS.
2. REFER TO SHEET A861.3 FOR FINISH SCHEDULE FOR ADDITIONAL INFORMATION.
3. REFER TO SHEET A861.4 FOR MATERIAL FINISH LEGEND.
4. ALL ACCESS PANEL LOCATIONS TO BE COORDINATED WITH MECHANICAL, ELECTRICAL, PLUMBING AND FIRE SPLITTER WORK.
5. SEE ELECTRICAL FOR LIGHTING FIXTURE SCHEDULE.
6. ALL FLOOR UPPELIER BRASS AND ELECTRICAL FIXTURES SHALL BE CENTERED WITHIN CEILING TILES.

RCP SHEET NOTES

- REFLECTED CEILING AT CUGGER WITH STAINLESS STEEL PANEL
 NOTE
 NOTE
 NOTE




dag ARCHITECTS INC.
 40 SOUTH PALM BLVD. STE. 200
 PENSACOLA, FL 32502
 904.434.4444
 www.dag-architects.com

PHASE III

SANTA ROSA COUNTY SCHOOL DISTRICT
 ELKHART DRIVE K-8 SCHOOL
 2535 ELKHART DRIVE, GULF BREEZE, FL 32563

NOT FOR
 CONSTRUCTION



REVISIONS		
No.	Description	Date

ALTERNATE #6
 FINISH PLAN &
 REFLECTED
 CEILING PLAN

Project Number	17076
Date	May 1, 2019
Prepared By	Designer
Checked By	Approver
Approved By	
A861.1	
Scale	1/8" = 1'-0"